EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/808922	US-PGPUB; USPAT	OR	OFF	2006/12/11 17:10
S2	43944	"369".clas.	US-PGPUB; USPAT	OR	OFF	2006/12/11 11:27
S3	245	S2 and (opc optim$7 near power$1 pca power near calibrat$4) same ($2focus$4 $2focal)	US-PGPUB; USPAT	OR	OFF	2006/12/11 11:29
S4	23	S2 and (opc optim$7 near power$1 pca power near calibrat$4) same (defocus$4 unfocus$2)	US-PGPUB; USPAT	OR	OFF	2006/12/11 12:09
S5	9	("4631713" | "5067122" | "5136569" | "5185733" | "5216659" | "5226027" | "5305297" | "5341360" | "5410527").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/11 11:34
S6	7	S5 and ($2focus$4 $2focal)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/11 11:35
S7	1	"4734914".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/11 11:35
S8	25	S2 and (opc optim$7 near power$1 pca power near calibrat$4) same (??focus$4 ??focal out near (focus$3 focal))	US-PGPUB; USPAT	OR	OFF	2006/12/11 12:10
S9	154	S2 and (opc optim$7 near power$1 pca power near calibrat$4) and (??focus$4 ??focal out near (focus$3 focal)) not S8	US-PGPUB; USPAT	OR	OFF	2006/12/11 13:08
S10	2	S2 and (reflect$7 mirror$4) with (inner inside) with (pca power near callibrat$4)	US-PGPUB; USPAT	OR	OFF	2006/12/11 13:09
S11	15	S2 and (reflect$7 mirror$4) with (inner inside) with (test$3 trial experiment$3 pca power near callibrat$4)	US-PGPUB; USPAT	OR	OFF	2006/12/11 13:13
S12	10	S2 and manufacturer near (zone$1 area$1) with (test$3 trial experimental$4)	US-PGPUB; USPAT	OR	OFF	2006/12/11 13:14